CLN_VIOLATION_ENFORCEMENT3

English Name	Violation Handler ID **(Primary Key)**
Oracle Name	VIOL_HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

English Name	Violation Activity Location **(Primary Key)**
Oracle Name	VIOL_ACTIVITY_LOCATION
Description	Indicates the location of the agency regulating the activity.
Data Type and Length	CHAR (2)
Allowed Values	State postal code
Default Value	
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.

English Name	Violation Sequence Number **(Primary Key)**
Oracle Name	VIOL_SEQ
Description	System-generated sequence number for each violation record.
Data Type and Length	NUMBER (4.0)
Allowed Values	1 - 9,999
Default Value	Next sequential number

English Name	Agency Which Determined Violation **(Primary Key)**	
Oracle Name	VIOL_DETERMINED_BY_AGENCY	
Description	The agency that actually determined the violation.	
Data Type and Length	CHAR (1)	
Allowed Values	E	EPA
		.
	S	State
Default Value		
Notes	The Agency Which Determined the Violation and Violation Responsible Agency must be the same unless a referral (enforcement action 810 or 820) has been issued.	

CLN_VIOLATION_ENFORCEMENT3

Only the agency listed in the Violation Responsible Agency field will be allowed to update the violation's Actual Return to Compliance Date and Return to Compliance Qualifier type.

English Name	Enforcement Handler ID **(Primary Key)**
Oracle Name	ENF_HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

English Name	Enforcement Activity Location **(Primary Key)**
Oracle Name	ENF_ACTIVITY_LOCATION
Description	Indicates the location of the agency regulating the activity.
Data Type and Length	CHAR (2)
Allowed Values	State postal code
Default Value	
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.

English Name	Enforcement Identifier **(Primary Key)**
Oracle Name	ENF_IDENTIFIER
Description	Name or number assigned by the implementing agency to identify an enforcement.
Data Type and Length	VARCHAR2 (3)
Allowed Values	Any non-blank value
Default Value	001
Notes	

CLN_VIOLATION_ENFORCEMENT3

English Name	Date of Enforcement Action **(Primary Key)**
Oracle Name	ENF_ACTION_DATE
Description	The date the enforcement action was issued. For all formal actions involving written documents, the date should be the same as the date the document is signed. For an informal action, the date should reflect the date the handler received actual notification.
Data Type and Length	DATE
Allowed Values	For enforcement actions linked to a violation: Valid date >= Date Violation Was Determined and <= Today in MM/DD/YYYY format For enforcement actions not linked to a violation: Valid date >= January 1, 1980 and <= Today in MM/DD/YYYY format
Default Value	

English Name	Enforcement Responsible Agency **(Primary Key)**
Oracle Name	ENF_AGENCY
Description	Agency responsible for issuing the enforcement action.
Data Type and Length	CHAR (1)
Allowed Values	E EPA S State
Default Value	

English Name	Scheduled Compliance Date
Oracle Name	SCHEDULED_COMPLIANCE_DATE
Description	Date by which the handler is to submit to the agency its documentation that the violation has been brought into compliance. Scheduled response dates are specified in enforcement actions as the compliance schedule. If a number of activities are to be performed according to a compliance schedule with more than one date, enter the date of the last action to be taken by the handler to return to compliance.
Data Type and Length	DATE
Allowed Values	Valid date >=January 1, 1980 in MM/DD/YYYY format blank Not provided
Default Value	blank

English Name	User ID of Last Change
Oracle Name	USERID
Description	Records the user ID of the last person to change the data.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Valid user ID
Default Value	Current user ID

CLN_VIOLATION_ENFORCEMENT3

English Name	Date of Last Change
Oracle Name	LAST_CHANGE
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

* End of Report *